KIDNEY INTERNATIONAL

Volume 56, Number 1, July 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The hemodialysis catheter conundrum: Hate living with them, can't live without them. *Steve J. Schwab and Gerald Beathard* 1

PERSPECTIVES IN BASIC SCIENCE

Gene targeting: Applications in transplantation research. *Roslyn B. Mannon and Thomas M. Coffman* 18

GENETIC DISORDERS – DEVELOPMENT

Seven novel mutations of the *PKD2* gene in families with autosomal dominant polycystic kidney disease. *Roser Torra, Miguel Viribay, Dolores Tellería, Cèlia Badenas, Michael Watson, Peter Harris, Alejandro Darnell, and José L. San Millán* 28

Familial phenotype differences in PKD1. *Nick Hateboer, Lazarus P. Lazarou, Andrew J. Williams, Peter Holmans, and David Ravine* (See Editorial, p. 344) 34

HORMONES – CYTOKINES – SIGNALING

Synergistic effect of interleukin-1 and CD40L on the activation of human renal tubular epithelial cells. *Cees van Kooten, Xander van der Linde, Andrea M. Woltman, Leendert A. van Es, and Mohamed R. Daha* 41

Expression of the C-C chemokine receptor 5 in human kidney diseases. *Stephan Segerer, Matthias Mack, Heinz Regele, Dontscho Kerjaschki, and Detlef Schlöndorff* (See Editorial, p. 347) 52

Subcellular localization of glucocorticoid receptor protein in the human kidney glomerulus. *Kunimasa Yan, Akihiko Kudo, Hiroshi Hirano, Takashi Watanabe, Tetsuya Tasaka, Saeko Kataoka, Noriko Nakajima, Yukino Nishibori, Toru Shibata, Takao Kohsaka, Eiji Higashihara, Hirotoshi Tanaka, Hidehiro Watanabe, Toshihiko Nagasawa, and Shouichi Awa* 65

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Reduced tolerance to acute renal ischemia in mice with a targeted disruption of the osteopontin gene. *Eisei Noiri, Kate Dickman, Frederick Miller, Galina Romanov, Victor I. Romanov, Robert Shaw, Ann F. Chambers, Susan R. Rittling, David T. Denhardt, and Michael S. Goligorsky* 74

TGF-β1 stimulates the release of pre-formed bFGF from renal proximal tubular cells. *Stuart G. Jones, Kimberley Morrisey, John D. Williams, and Aled O. Phillips* 83

Role of fibronectin deposition in cystogenesis of Madin-Darby canine kidney cells. *Si-Tse Jiang, Huei-Ching Chiang, Min-Hsiung Cheng, Tzi-Peng Yang, Woei-Jer Chuang, and Ming-Jer Tang* 92

Plasma membrane phospholipid integrity and orientation during hypoxic and toxic proximal tubular attack. *Richard A. Zager, Benjamin M. Sacks, Kristin M. Burkhart, and Ali C. Williams* 104

Inhibition of nuclear factor-κB activation reduces cortical tubulointerstitial injury in proteiniuric rats. *Gopala K. Rangan, Yiping Wang, Yuet-Ching Tay, and David C.H. Harris* 118

Monocyte chemoattractant protein-1 mediates collagen deposition in experimental glomerulonephritis by transforming growth factor-β. *André Schneider, Ulf Panzer, Gunther Zahner, Ulrich Wenzel, Gunter Wolf, Friedrich Thaiss, Udo Helmchen, and Rolf A.K. Stahl* 135

Cover: Change of localization of glucocorticoid receptor (GR) in an isolated glomerulus with dexamethasone. Glomeruli stained for GR are green, nuclei are red, and GR staining in nuclei is yellow. (From Yan et al, Fig. 4D, p. 71).

Contents continued on next page

KIDNEY INTERNATIONAL

Volume 56, Number 1, July 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The hemodialysis catheter conundrum: Hate living with them, can't live without them. *Steve J. Schwab and Gerald Beathard* 1

PERSPECTIVES IN BASIC SCIENCE

Gene targeting: Applications in transplantation research. *Roslyn B. Mannon and Thomas M. Coffman* 18

GENETIC DISORDERS – DEVELOPMENT

Seven novel mutations of the *PKD2* gene in families with autosomal dominant polycystic kidney disease. *Roser Torra, Miguel Viribay, Dolores Tellería, Cèlia Badenas, Michael Watson, Peter Harris, Alejandro Darnell, and José L. San Millán* 28

Familial phenotype differences in PKD1. *Nick Hateboer, Lazarus P. Lazarou, Andrew J. Williams, Peter Holmans, and David Ravine* (See Editorial, p. 344) 34

HORMONES – CYTOKINES – SIGNALING

Synergistic effect of interleukin-1 and CD40L on the activation of human renal tubular epithelial cells. *Cees van Kooten, Xander van der Linde, Andrea M. Woltman, Leendert A. van Es, and Mohamed R. Daha* 41

Expression of the C-C chemokine receptor 5 in human kidney diseases. *Stephan Segerer, Matthias Mack, Heinz Regele, Dontscho Kerjaschki, and Detlef Schlöndorff* (See Editorial, p. 347) 52

Subcellular localization of glucocorticoid receptor protein in the human kidney glomerulus. *Kunimasa Yan, Akihiko Kudo, Hiroshi Hirano, Takashi Watanabe, Tetsuya Tasaka, Saeko Kataoka, Noriko Nakajima, Yukino Nishibori, Toru Shibata, Takao Kohsaka, Eiji Higashihara, Hirotoshi Tanaka, Hidehiro Watanabe, Toshihiko Nagasawa, and Shouichi Awa* 65

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Reduced tolerance to acute renal ischemia in mice with a targeted disruption of the osteopontin gene. *Eisei Noiri, Kate Dickman, Frederick Miller, Galina Romanov, Victor I. Romanov, Robert Shaw, Ann F. Chambers, Susan R. Rittling, David T. Denhardt, and Michael S. Goligorsky* 74

TGF-β1 stimulates the release of pre-formed bFGF from renal proximal tubular cells. *Stuart G. Jones, Kimberley Morrisey, John D. Williams, and Aled O. Phillips* 83

Role of fibronectin deposition in cystogenesis of Madin-Darby canine kidney cells. *Si-Tse Jiang, Huei-Ching Chiang, Min-Hsiung Cheng, Tzi-Peng Yang, Woei-Jer Chuang, and Ming-Jer Tang* 92

Plasma membrane phospholipid integrity and orientation during hypoxic and toxic proximal tubular attack. *Richard A. Zager, Benjamin M. Sacks, Kristin M. Burkhart, and Ali C. Williams* 104

Inhibition of nuclear factor-κB activation reduces cortical tubulointerstitial injury in proteiniuric rats. *Gopala K. Rangan, Yiping Wang, Yuet-Ching Tay, and David C.H. Harris* 118

Monocyte chemoattractant protein-1 mediates collagen deposition in experimental glomerulonephritis by transforming growth factor-β. *André Schneider, Ulf Panzer, Gunther Zahner, Ulrich Wenzel, Gunter Wolf, Friedrich Thaiss, Udo Helmchen, and Rolf A.K. Stahl* 135

Cover: Change of localization of glucocorticoid receptor (GR) in an isolated glomerulus with dexamethasone. Glomeruli stained for GR are green, nuclei are red, and GR staining in nuclei is yellow. (From Yan et al, Fig. 4D, p. 71).

Contents continued on next page

Changes in collagenases and TGF-β precede structural alterations in a model of chronic renal fibrosis. *Wa Mo, Carolyn Brecklin, Sandra L. Garber, Ruo H. Song, Alfredo A. Pegoraro, Julienne Au, Jose A.L. Arruda, George Dunea, and Ashok K. Singh* 145

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Removal of digoxin and doxorubicin by multidrug resistance protein-overexpressed cell culture in hollow fiber. *Shuichi Tsuruoka, Koh-ichi Sugimoto, Kazumitsu Ueda, Makoto Suzuki, Masashi Imai, and Akio Fujimura* 154

Effects of missense mutations on rat aquaporin-2 in LLC-PK1 porcine kidney cells. *Kazushi Yamauchi, Kiyohide Fushimi, Yumi Yamashita, Itsuki Shinbo, Sei Sasaki, and Fumiaki Marumo* 164

Regulation of the Na^+/H^+ antiporter in patients with mild chronic renal failure: Effect of glucose. *Martin Tepel, Marcus van der Giet, Kirsten Brukamp, Jochen Weyer, and Walter Zidek* 172

Hydrogen peroxide activates ion currents in rat mesangial cells. *Joachim Gloy, Karl-Georg Fischer, Tobias N. Meyer, Peter Schollmeyer, Rainer Greger, and Hermann Pavenstädt* 181

Erythrocyte voltage-dependent calcium influx is reduced in hemodialyzed patients. *Laura Soldati, Donatella Adamo, Simona Zerbi, Andrea Caumo, Renato Spaventa, Giuseppe Bianchi, and Giuseppe Vezzoli* 190

Hyperkalemia in patients infected with the human immunodeficiency virus: Involvement of a systemic mechanism. *Carlos Caramelo, Elena Bello, Elisa Ruiz, Adela Rovira, Rosa M. Gazapo, Jose M. Alcazar, Nieves Martell, Luis M. Ruilope, Santos Casado, and Manuel Fernández Guerrero* 198

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Renal hemodynamics in radiocontrast medium-induced renal dysfunction: A role for dopamine-1 receptors. *George L. Bakris, Nancy A. Lass, and Dana Glock* 206

Increased bradykinin and "normal" angiotensin peptide levels in diabetic Sprague-Dawley and transgenic (mRen-2)27 rats. *Duncan J. Campbell, Darren J. Kelly, Jennifer L. Wilkinson-Berka, Mark E. Cooper, and Sandford L. Skinner* 211

Losartan-sensitive renal damage caused by chronic NOS inhibition does not involve increased renal angiotensin II concentrations. *A. Marjan G. Verhagen, Branko Braam, Peter Boer, Hermann-Josef Gröne, Hein A. Koomans, and Jaap A. Joles* 222

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Uremic autonomic neuropathy studied by spectral analysis of heart rate. *Giuseppe Vita, Guido Bellinghieri, Antonella Trusso, Giuseppe Costantino, Domenico Santoro, Francesco Monteleone, Corrado Messina, and Vincenzo Savica* 232

Acute renal failure in the cardiac care unit: Etiologies, outcomes, and prognostic factors. *Terry Behrend and Steven B. Miller* 238

Total body water data for white adults 18 to 64 years of age: The Fels Longitudinal Study. *W. Cameron Chumlea, Shumei S. Guo, Christine M. Zeller, Nicholas V. Reo, and Roger M. Siervogel* 244

Effects of normal hematocrit on ambulatory blood pressure in epoetin-treated hemodialysis patients with cardiac disease. *Jeffrey S. Berns, Michael R. Rudnick, Raphael M. Cohen, John D. Bower, and Barry C. Wood* 253

MK-591 acutely restores glomerular size selectivity and reduces proteinuria in human glomerulonephritis. *Antonio Guasch, Carlos F. Zayas, and Kamal F. Badr* 261

Plasma calcium oxalate supersaturation in children with primary hyperoxaluria and end-stage renal failure. *Bernd Hoppe, Markus J. Kemper, Arend Bökenkamp, Anthony A. Portale, Richard A. Cohn, and Craig B. Langman* 268

DIALYSIS – TRANSPLANTATION

Predictors of adequacy or arteriovenous fistulas in hemodialysis patients. *Paul E. Miller, Ashita Tolwani, C. Peter Luscy, Mark H. Deierhoi, Robert Bailey, David T. Redden, and Michael Allon* 275

Cytokine gene polymorphisms predict acute graft rejection following renal transplantation. *David Sankaran, Argiris Asderakis, Shazad Ashraf, Ian S.D. Roberts, Colin D. Short, Philip A. Dyer, Paul J. Sinnott, and Ian V. Hutchinson* 281

Paraoxonase polymorphisms are not associated with cardiovascular risk in renal transplant recipients. *Oliver Hasselwander, David A. Savage, Dorothy McMaster, Clodagh M. Loughrey, Peter T. McNamee, Derek Middleton, D. Paul Nicholls, A. Peter Maxwell, and Ian S. Young* 289

Fibrinogen fragments and platelet dysfuction in uremia. *Sibylle A. Kozek-Langenecker, Takahisa Masaki, Habeeb Mohammad, Wayne Green, S. Fazal Mohammad, and Alfred K. Cheung* 299

Parathyroid function as a determinant of the response to calcitriol treatment in the hemodialysis patient. *Mariano Rodriguez, Francisco Caravaca, Elvira Fernandez, Maria J. Borrego, Victor Lorenzo, Juan Cubero, Alehandro Martin-Malo, Angels Betriu, Alejandro Jimenez, Armando Torres, and Arnold J. Felsenfeld* 306

Improvement in specific aspects of neurocognitive performance in children after renal transplantation. *Susan R. Mendley and Frank A. Zelko* 318

Long-term outcome of dialysis patients in the United States with coronary revascularization procedures. *Charles A. Herzog, Jennie Z. Ma, and Allan J. Collins* 324

TECHNICAL NOTE

The course of the remnant kidney model in mice. *Stefan Kren and Thomas H. Hostetter* 333

An automated technique for the simultaneous determination of cations in nanoliter volumes. *Christopher J. Stocking, Jonathan M. Slater, Robert Unwin, Stephen Walter, and Elizabeth Folkerd* 338

EDITORIALS

Phenotypic variability in *PKD1:* The family as a starting point. *Lisa M. Guay-Woodford* 344

Chemokines, chemokine receptors, and renal disease. *Jesús Egido* 347

LETTERS TO THE EDITOR

Long term evolution of cardiomyopathy in dialysis patients: I. *Sehsuvar Ertürk* 349

Long term evolution of cardiomyopathy in dialysis patients: II. *Paweł Strózecki, Gwidon Polak, Małgorzata Ukleja-Adamowicz, Bozena Pączkowska, Grazyna Zarzycka-Lindner, Wirgenia Tomczak-Watras, Andrzej Adamowicz, and Jacek Manitius* 349

Long term evolution of cardiomyopathy in dialysis patients: III. *Hüseyin Töz, Mehmet Özkahya, and Evert J. Dorhout Mees* 350

Author's reply. *Robert N. Foley* 350

High serum IgE levels are associated with selective proteinuria in glomerulonephritis. *Abeed Ahmed Pall, Keng Thye Woo, and Shaukat Zinna* 351

Dialysis and protein malnutrition. *Mackenzie Walser* 353

Cystinuria subtype and nephrolithiasis. *Marisa Guillén and Dolores Corella* 353

NEPHROLOGY FORUM

Paraneoplastic glomerulopathies: New insights into an old entity. *Pierre M. Ronco* 355

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 378

Awards and grants 382

Instructions for Authors on page xxi

KIDNEY INTERNATIONAL

Volume 56, Supplement 71, July 1999

Lipids and Renal Disease

Kashikijima/Ise-Shima National Park, Japan

October 8–11, 1998

Table of contents

Introduction. *William F. Keane, Susumu Yukawa, and Masatoshi Mune* S-1

STATE OF THE ART: REVIEW OF LIPIDS AND PROGRESSIVE RENAL DISEASE

Recent advances in statins and the kidney. *Hiroaki Oda and William F. Keane* S-2

Lipopheresis in the nephrotic syndrome. *Carol Brunton, Zachariah Varghese, and John F. Moorhead* S-6

LIPIDS AS A RISK FACTOR FOR RENAL DISEASE

Association between hyperlipidemia and microalbuminuria in essential hypertension. *Vito M. Campese, Stefano Bianchi, and Roberto Bigazzi* S-10

Lipoprotein abnormalities as a risk factor for progressive nondiabetic renal disease. *Per-Ola Attman, Petar Alaupovic, and Ola Samuelsson* S-14

New insights into lipid metabolism in the nephrotic syndrome. *George A. Kaysen and Monique G.M. de Sain-van der Velden* S-18

Lipoprotein abnormalities in diabetic nephropathy. *Tsutomu Hirano* S-22

Apolipoprotein E polymorphism and renal disease. *Hiroaki Oda, Noriaki Yorioka, Chikako Ueda, Shigeyuki Kushihata, and Michio Yamakido* S-25

Role of circulating lipid abnormalities in chronic renal allograft rejection. *Bertram L. Kasiske* S-28

MECHANISMS OF LIPID-INDUCED RENAL INJURY

Role of hyperlipidemia in progressive renal disease: Focus on diabetic nephropathy. *Karin Jandeleit-Dahm, Zemin Cao, Alison J. Cox, Darren J. Kelly, Richard E. Gilbert, and Mark E. Cooper* S-31

Lipoprotein glomerulopathy: Significance of lipoprotein and ultrastructural features. *Takao Saito, Shinichi Oikawa, Hiroshi Sato, Toshinobu Sato, Sadayoshi Ito, and Jun Sasaki* S-37

Effect of proteinuria reduction on prevention of focal glomerulosclerosis by angiotensin-converting enzyme inhibition is modifiable. *Eric de Boer, Gerjan Navis, Frits-Hein Wapstra, Paul E. de Jong, and Dick de Zeeuw* S-42

Mechanisms of glomerular macrophage infiltration in lipid-induced renal injury. *Motoshi Hattori, David J. Nikolic-Paterson, Kenichi Miyazaki, Nicole M. Isbel, Hui Y. Lan, Robert C. Atkins, Hiroshi Kawaguchi, and Katsumi Ito* S-47

Effect of lipoproteins on mesangial cell proliferation. *Yoji Nishida, Hiroaki Oda, and Noriaki Yorioka* S-51

Increased carbonyl modification by lipids and carbohydrates in diabetic nephropathy. *Toshio Miyata, Satoshi Sugiyama, Daisuke Suzuki, Reiko Inagi, and Kiyoshi Kurokawa* S-54

Endothelial function in proteinuric renal disease. *Jaap A. Joles, Erik S.G. Stroes, and Ton J. Rabelink* S-57

Cover: Glomerulus with lipoprotein thrombi. Capillary lumina are enlarged with pale-stained and mesh-like substances. (Azan-Mallory stain ×300.) (From Saito et al, p. S-39).

Contents continued on next page

Atherogenic lipoproteins, oxidative stress, and cell death. *Jan Galle, Kathrin Heermeier, and Christoph Wanner* S-62

Vitamin E treatment of experimental glomerular disease in rats. *Haruhisa Otani, Masatoshi Mune, Susumu Yukawa, Donald Smith, Mohsen Meydani, and Jeffrey Blumberg* S-66

INTRACELLULAR REGULATION OF INFLAMMATION

Atherogenic lipoproteins and tyrosine kinase mitogenic signaling in mesangial cells. *Vaijinath S. Kamanna, Babu V. Bassa, Nosratola D. Vaziri, and Daeyoung D. Roh* S-70

The central role of nuclear factor-κB in mesangial cell activation. *Ziad A. Massy, Carlos Guijarro, Michael P. O'Donnell, Youngki Kim, Clifford E. Kashtan, Jesús Egido, Bertram L. Kasiske, and William F. Keane* S-76

Importance of geranylgeranyl pyrophosphate for mesangial cell DNA synthesis. *Ziad A. Massy, Carlos Guijarro, Hiroaki Oda, Bertram L. Kasiske, William F. Keane, and Michael P. O'Donnell* S-80

MODULATION OF RESPONSES TO INJURY BY LIPID-LOWERING STRATEGIES

Effect of simvastatin on proliferative nephritis and cell-cycle protein expression. *Ashio Yoshimura, Takashi Nemoto, Youichi Sugenoya, Kiyoko Inui, Susumu Watanabe, Yoshihiko Inoue, Sakineh Sharif, Naoko Yokota, Susumu Uda, Hiroyuki Morita, and Terukuni Ideura* S-84

Lipophilic statins induce apoptosis of human vascular smooth muscle cells. *Carlos Guijarro, Luis Miguel Blanco-Colio, Ziad A. Massy, Michael P. O'Donnell, Bertram L. Kasiske, William F. Keane, and Jesús Egido* S-88

Effect of lipid-lowering strategies on tubular cell biology. *François Vrtovsnik, Marie Essig, Osamu Iimura, and Gérard Friedlander* S-92

Effect of pravastatin on type IV collagen secretion and mesangial cell proliferation. *Motonobu Nishimura, Tomoaki Tanaka, Tatsuji Yasuda, Shinichi Kurakata, Masatoshi Kitagawa, Kenichi Yamada, Yasushi Saito, and Aizan Hirai* S-97

TREATMENT OF DYSLIPIDEMIA IN RENAL DISEASE

Progression of diabetic nephropathy in normotensive type 1 diabetic patients. *Peter Jacobsen, Kasper Rossing, Lise Tarnow, Peter Rossing, Christine Mallet, Odette Poirier, Francois Cambien, and Hans-Henrik Parving* S-101

Atherosclerotic nephropathy. *John E. Scoble* S-106

Lipid-lowering therapy in membranous nephropathy. *Martin Haas, Dontscho Kerjaschki, and Gert Mayer* S-110

Simvastatin in nephrotic syndrome. *Christoph J. Olbricht, Christoph Wanner, Joachim Thiery, and Achim Basten, for the Simvastatin in Nephrotic Syndrome Study Group* S-113

Effect of HMG-CoA reductase inhibitors on chronic allograft rejection. *Steven Katznelson* S-117

Low density lipoprotein apheresis therapy for steroid-resistant nephrotic syndrome. *Eri Muso, Masatoshi Mune, Yasuhiro Fujii, Enyu Imai, Naohiko Ueda, Kazuhiro Hatta, Akio Imada, Shozo Miki, Takashi Kuwahara, Yoshihiro Takamitsu, Tsukasa Takemura, and Yoshiharu Tsubakihara, for the Kansai-FGS-Apheresis Treatment (K-FLAT) Study Group* S-122

TREATMENT OF DYSLIPIDEMIA IN ESRD

Effect of vitamin E on lipid metabolism and atherosclerosis in ESRD patients. *Masatoshi Mune, Susumu Yukawa, Masanori Kishino, Haruhisa Otani, Keigo Kimura, Osamu Nishikawa, Toshio Takahashi, Naoya Kodama, Yasushi Saika, and Yoichi Yamada* S-126

Acute myocardial infarction in patients with end-stage renal disease. *Charles A. Herzog* S-130

Effects of lipid-lowering drugs on intermediate-density lipoprotein in uremic patients. *Yoshiki Nishizawa, Tetsuo Shoji, Tsutomu Tabata, Takashi Inoue, and Hirotoshi Morii* S-134

Calcineurin inhibitors enhance low-density lipoprotein oxidation in transplant patients. *Zac Varghese, Ray L. Fernando, Gita Turakhia, Erasmia Psimenou, Oswald N. Fernando, Paul Sweny, Stephen H. Powis, and John F. Moorhead* S-137

FUTURE CLINICAL DIRECTIONS

Ongoing clinical trials of lipid reduction therapy in patients with renal disease. *Susumu Yukawa, Masatoshi Mune, Yoichi Yamada, Haruhisa Otani, Masanori Kishino, and Yoshinori Tone* S-141

BRIEF SCIENTIFIC PRESENTATIONS

Clinicopathological characteristics of interstitial foam cells in membranous nephropathy. *Isao Kurihara, Takao Saito, Jun Soma, Hiroshi Sato, Osamu Hotta, Yoshio Taguma, and Sadayoshi Ito* S-144

Evaluation of serum lipid abnormalities in chronic nephritis. *Hiroko Hirano, Yoichi Yamada, Haruhisa Otani, Naoya Kodama, Masatoshi Mune, and Susumu Yukawa* S-147

A high-fat diet aggravates tubulointerstitial but not glomerular lesions in obese Zucker rats. *Sanae Matsuda, Takami Arai, Kazuko Iwata, Megumi Oka, and Mitsumasa Nagase* S-150

Imaging of hydroperoxides in a rat glomerulus stimulated by puromycin aminonucleoside. *Kazumasa Aoyagi, Kayo Akiyama, Chie Tomida, Mitihiro Gotoh, Aki Hirayama, Katsumi Takemura, Atsushi Ueda, Sohji Nagase, Akio Koyama, and Mitsuharu Narita* S-153

Lysophosphatidylcholine up-regulates IL-1β-induced iNOS expression in rat mesangial cells. *Mayumi Taniuchi, Haruhisa Otani, Naoya Kodama, Yoshinori Tone, Michiko Sakagashira, Yoichi Yamada, Masatoshi Mune, and Susumu Yukawa* S-156

Lipid-binding proteins in rat and human kidney. *Hideki Kimura, Hiroshi Fujii, Satoru Suzuki, Teruo Ono, Masaaki Arakawa, and Fumitake Gejyo* S-159

Human mesangial cells express inducible macrophage scavenger receptor. *Xiong Z. Ruan, Zac Varghese, Stephen H. Powis, and John F. Moorhead* S-163

Probucol suppresses ICAM-1 expression in rat mesangial cells: Possible role of IL-1. *Toshihiro Sugiura, Akira Wada, Toshiki Moriyama, Masaru Horio, Naohiko Ueda, Enyu Imai, and Masatsugu Hori* .. S-167

Phospholipase A_2 activity in ox-LDL-stimulated mesangial cells and modulation by α-tocopherol. *Mituru Ozaki, Yoichi Yamada, Katsumi Matoba, Haruhisa Otani, Masatoshi Mune, Susumu Yukawa, and Wataru Sakamoto* S-171

Involvement of MCP-1 and M-CSF in glomerular foam cell formation in ExHC rats. *Naoya Kodama, Haruhisa Otani, Yoichi Yamada, Masatoshi Mune, and Susumu Yukawa* S-174

Mechanism of preventive effect of HMG-CoA reductase inhibitor on diabetic nephropathy. *Tamotsu Yokota, Kazunori Utsunomiya, Yuichi Murakawa, Hideaki Kurata, and Naoko Tajima* S-178

Lysophosphatidylcholine induces platelet-derived growth factor gene expression in a human mesangial cell line. *Yoshinori Tone, Susumu Yukawa, Zac Varghese, and John F. Moorhead* S-182

A common mutation of cholesteryl ester transfer protein gene in dialysis patients. *Hideki Kimura, Fumitake Gejyo, Satoru Suzuki, Tomoko Yamaguchi, Toshio Imura, Ryoichi Miyazaki, Kyoko Ei, Isei Ei, Mizue Oda, Yoshiichi Miyakawa, and Masaaki Arakawa* S-186

Mechanism of oral absorbent AST-120 in lipid abnormalities in experimental uremic rats. *Minoru Yamakado and Michihito Ise* S-190

Oral adsorbent ameliorates renal TGF-β1 expression in hypercholesterolemic rats. *Isao Aoyama, Takashi Miyazaki, Fumio Takayama, Saori Tsukushi, Shinsuke Faga, Kaoru Shimokata, and Toshimitsu Niwa* S-193

Direct inhibitory effects of simvastatin on matrix accumulation in cultured murine mesangial cells. *Fumiaki Nogaki, Eri Muso, Masatomo Yashiro, Kenji Kasuno, Tadashi Kamata, Takahiko Ono, and Shigetake Sasayama* S-198

Effects of lovastatin on expression of cell cycle regulatory proteins in vascular smooth muscle cells. *Hiroaki Oda, Bertram L. Kasiske, Michael P. O'Donnell, and William F. Keane* S-202

Low-density lipoprotein apheresis retards the progression of hyperlipidemic overt diabetic nephropathy. *Toshiyuki Nakao, Maki Yoshino, Hiroshi Matsumoto, Tomonari Okada, Myongi Han, Hiromi Hidaka, Tamami Shino, Chikayuki Yamada, Yume Nagaoka, and Tadashi Miyahara* S-206

Contents continued on next page

Rapid normalization of interleukin-8 production after low-density lipoprotein apheresis in steroid-resistant nephrotic syndrome. *Mari Sakurai, Eri Muso, Hiroyuki Matsuhima, Takahiko Ono, and Shigetake Sasayama* S-210

Erythropoietin supplement increases plasma lipoprotein lipase and hepatic triglyceride lipase levels in hemodialysis patients. *Tetsuya Goto, Hiroko Saika, Toshio Takahashi, Akefumi Maeda, Masatoshi Mune, and Susumu Yukawa* S-213

Serum lipids status in patients with diabetic uremia on 10 years of maintenance hemodialysis. *Takashi Sakurai, Hiroyuki Akiyama, Toru Oka, Kenn-ichi Sekita, Koichi Yokono, and Takeo Goto* S-216

Effect of simvastatin on the lipid profile of hemodialysis patients. *Osamu Nishikawa, Masatoshi Mune, Motoshige Miyano, Takahiro Nishide, Iwao Nishide, Akifumi Maeda, Keigo Kimura, Toshio Takahashi, Masanori Kishino, Yoshinori Tone, Haruhisa Otani, Akio Ogawa, Takao Maeda, and Susumu Yukawa* S-219

Rationale and design of a trial improving outcome of type 2 diabetics on hemodialysis. *Christoph Wanner, Vera Krane, Günther Ruf, Winfried März, and Eberhard Ritz for Die Deutsche Diabetes Dialyse Studie Investigators* S-222

Role of hepatic lipase in intermediate-density lipoprotein and small, dense low-density lipoprotein formation in hemodialysis patients. *Keiko Oi, Tsutomu Hirano, Soichi Sakai, Yoshindo Kawaguchi, and Tatsuo Hosoya* S-227

Effect of probucol on hypercholesterolemia in renal transplant patients. *Michihito Okubo, Makoto Nakamura, Akira Horii, Kouju Kamata, Yasuo Takeuchi, Yusuke Tsukamoto, Naoyuki Kobayashi, Koshi Sato, and Tadao Endo* S-229

Fluvastatin and low-density lipoprotein oxidation in hypercholesterolemic renal transplant patients. *Alberto Martínez-Castelao, Josep M. Grinyó, Concepció Fiol, María J. Castiñeiras, Isabel Hurtado, Salvador Gil-Vernet, Daniel Serón, Isidre Porta, Antonio Miñarro, Angel Villarroya, and Jeroni Alsina* S-231

Immunosuppression enhances atherogenicity of lipid profile after transplantation. *Thomas Quaschning, Till Mainka, Matthias Nauck, Lars Christian Rump, Christoph Wanner, and Annette Krämer-Guth* . . . S-235

Factors associated with calcification of the abdominal aorta in hemodialysis patients. *Keigo Kimura, Yasushi Saika, Haruhisa Otani, Ryouichi Fujii, Masatoshi Mune, and Susumu Yukawa* S-238

Lipoprotein(a) as a risk factor for coronary artery disease in hemodialysis patients. *Hiroshige Ohashi, Hiroshi Oda, Michiya Ohno, Sachiro Watanabe, and Shigeki Sakata* S-242

Apolipoprotein E phenotypes in hemodialysis patients. *Toshio Imura, Hideki Kimura, and Fumitake Gejyo* S-245

Abnormalities in lipoprotein metabolism in hemodialysis patients. *Michaela Köniğer, Thomas Quaschning, Christoph Wanner, Peter Schollmeyer, and Annette Krämer-Guth* S-248

Lipoprotein(a) is a predictor for cardiovascular mortality of hemodialysis patients. *Yutaka Koda, Shin-ichi Nishi, Masashi Suzuki, and Yoshihei Hirasawa* S-251

Phosphotyrosine of macrophage by low-density lipoproteins from hemodialysis patients. *Miyahiko Sonobe, Keigo Kimura, Masanori Kishino, Yoshinori Tone, Yoichi Yamada, Masatoshi Mune, Susumu Yukawa, and Iwao Nishide* S-254

Role of glomerular epithelial cell-derived heat shock protein 47 in experimental lipid nephropathy. *Mohammed S. Razzaque and Takashi Taguchi* S-256

KIDNEY INTERNATIONAL

Volume 56, Number 2, August 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Parathyroid hormone, vitamin D, and cardiovascular disease in chronic renal failure. *Stephen G. Rostand and Tilman B. Drüeke* 383

PERSPECTIVES IN BASIC SCIENCE

Molecular mechanisms of diabetic renal hypertrophy. *Gunter Wolf and Fuad N. Ziyadeh* 393

GENETIC DISORDERS–DEVELOPMENT

In vitro modulation of cyst formation by a novel tyrosine kinase inhibitor. *William E. Sweeney, Lidia Futey, Phillip Frost, and Ellis D. Avner* 406

Genetic mapping of modifier loci affecting malignant hypertension in TGRm*Ren2* rats. *Surasak Kantachuvesiri, Chris S. Haley, Stewart Fleming, Katarna Kurian, Caroline E. Whitworth, Philip Wenham, Yuri Kotelevtsev, and John J. Mullins* 414

A novel apolipoprotein E mutation, E2 (Arg25Cys), in lipoprotein glomerulopathy. *Akira Matsunaga, Jun Sasaki, Takeo Komatsu, Kazuro Kanatsu, Emiko Tsuji, Kengo Moriyama, Takafumi Koga, Kikuo Arakawa, Shinichi Oikawa, Takao Saito, Toru Kita, and Toshio Doi* 421

HORMONES–CYTOKINES–SIGNALING

TGF-β receptor expression and binding in rat mesangial cells: Modulation by glucose and cyclic mechanical strain. *Bruce L. Riser, Stephanie Ladson-Wofford, Abdulkarim Sharba, Pedro Cortes, Katie Drake, Christopher J. Guerin, Jerry Yee, Mary E. Choi, Patricia R. Segarini, and Robert G. Narins* 428

Human mesangial cells express inducible macrophage scavenger receptor. *Xiong Z. Ruan, Zac Varghese, Stephen H. Powis, and John F. Moorhead* 440

Coordinate augmentation in expression of genes encoding transcription factors and liver secretory proteins in hypo-oncotic states. *John Kang, Michael Holland, Hardin Jones, and George A. Kaysen* 452

Angiotensin IV stimulates plasminogen activator inhibitor-1 expression in proximal tubular epithelial cells. *Loreto Gesualdo, Elena Ranieri, Raffaella Monno, Maria Rosaria Rossiello, Mario Colucci, Nicola Semeraro, Giuseppe Grandaliano, and Francesco Paolo Schena, with the technical assistance of Michele Ursi and Giuseppina Cerullo* 461

Free-radical–generated F_2-isoprostane stimulates cell proliferation and endothelin-1 expression on endothelial cells. *Takafumi Yura, Megumu Fukunaga, Rizwan Khan, George N. Nassar, Kamal F. Badr, and Angel Montero* 471

Inhibitory effects of female sex hormones on urinary stone formation in rats. *Masanori Iguchi, Chisato Takamura, Tohru Umekawa, Takashi Kurita, and Kenjiro Kohri* 479

Retinoic acids inhibit inducible nitric oxide synthase expression in mesangial cells. *Prasun K. Datta and Elias A. Lianos* 486

Cell cycle inhibitors ($p27^{Kip1}$ and $p21^{CIP1}$) cause hypertrophy in LLC-PK_1 cells. *Yoshio Terada, Seiji Inoshita, Osamu Nakashima, Mimi Tamamori, Hiroshi Ito, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* 494

Cover: Primary cultures of human mesangial cells incubated with 16 nmol/liter PMA for three days, treated with 1 μmol/liter of colchicine for 14 hours, and labeled with 10 μg/ml DiI-Ac-LDL for five hours at 37°C. (From Ruan et al., Fig. 4E, p. 445)

Contents continued on next page

Renal actions of synthetic Dendroaspis natriuretic peptide. *Ondrej Lisy, Michihisa Jougasaki, Denise M. Heublein, John A. Schirger, Horng H. Chen, Paul W. Wennberg, and John C. Burnett* 502

Potent antihypertrophic effect of the bradykinin B2 receptor system on the renal vasculature. *Shinya Tsuchida, Yoichi Miyazaki, Taiji Matsusaka, Tracy E. Hunley, Tadashi Inagami, Agnes Fogo, and Iekuni Ichikawa* 509

Polarized expression of the vasopressin V2 receptor in Madin-Darby canine kidney cells. *Bettina Andersen-Beckh, Marcel Dehe, Ralf Schülein, Burkhard Wiesner, Claudia Rutz, Ursula Liebenhoff, Walter Rosenthal, and Alexander Oksche* 517

Differential regulation of renal prostaglandin receptor mRNAs by dietary salt intake in the rat. *Boye L. Jensen, Bianca Mann, Ole Skøtt, and Armin Kurtz* 528

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Complement (C5b-9) induces glomerular epithelial cell DNA synthesis but not proliferation *in vitro*. *Stuart J. Shankland, Jeffrey W. Pippin, and William G. Couser* 538

Screening for genes up-regulated in 5/6 nephrectomized mouse kidney. *Hong Zhang, Jun Wada, Yashpal S. Kanwar, Yoshinori Tsuchiyama, Keita Hiragushi, Kazuyuki Hida, Kenichi Shikata, and Hirofumi Makino* 549

Kidney cortex cells derived from SV40 transgenic mice retain intrinsic properties of polarized proximal tubule cells. *Cécile Chalumeau, Danièle Lamblin, Soline Bourgeois, Pascale Borensztein, Régine Chambrey, Patrick Bruneval, Jean Paul Duong Van Huyen, Marc Froissart, Juerg Biber, Michel Paillard, Odile Kellermann, and Josiane Poggioli* 559

Obstructive uropathy in the mouse: Role of osteopontin in interstitial fibrosis and apoptosis. *Vuddhidej Ophascharoensuk, Cecilia M. Giachelli, Katherine Gordon, Jeremy Hughes, Raimund Pichler, Paul Brown, Lucy Liaw, Rodney Schmidt, Stuart J. Shankland, Charles E. Alpers, William G. Couser, and Richard J. Johnson* 571

Urea induces macrophage proliferation by inhibition of inducible nitric oxide synthesis. *Thomas Moeslinger, Roswitha Friedl, Ivo Volf, Monika Brunner, Halina Baran, Elisabeth Koller, and Paul Gerhard Spieckermann* (see Editorial, p. 754) 581

Roles of prostaglandin E receptors in mesangial cells under high-glucose conditions. *Rieko Ishibashi, Issei Tanaka, Masato Kotani, Seiji Muro, Masahisa Goto, Akira Sugawara, Masashi Mukoyama, Yukihiko Sugimoto, Atsushi Ichikawa, Shuh Narumiya, and Kazuwa Nakao* 589

Differences in osteopontin up-regulation between proximal and distal tubules after renal ischemia/reperfusion. *Veerle P. Persy, Walter A. Verstrepen, Dirk K. Ysebaert, Kathleen E. De Greef, and Marc E. De Broe* 601

Rapid Communication: Prevention of crescentic glomerulonephritis by immunoneutralization of the fractalkine receptor CX_3CR1. *Lili Feng, Shizhong Chen, Gabriela E. Garcia, Yiyang Xia, Mike A. Siani, Paulo Botti, Curtis B. Wilson, Jeffrey K. Harrison, and Kevin B. Bacon* 612

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Down-regulation of hepatic high-density lipoprotein receptor, SR-B1, in nephrotic syndrome. *Kaihui Liang and Nosratola D. Vaziri* 621

Nitric oxide reduces the molecular activity of Na^+,K^+-ATPase in opossum kidney cells. *Mingyu Liang and Franklyn G. Knox* 627

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Renal response to captopril reflects state of local renin system in healthy humans. *Naomi D.L. Fisher, Deborah A. Price. W. Reid Litchfield, Gordon H. Williams, and Norman K. Hollenberg* 635

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Reduced parathyroid functional mass after successful kidney transplantation. *Hervé Bonarek, Pierre Merville, Mojgan Bonarek, Karine Moreau, Delphine Morel, Michel Aparicio, and Luc Potaux* 642

Serum and urinary concentrations of heparan sulfate in patients with diabetic nephropathy. *Hiroki Yokoyama, Ken Sato, Maki Okudaira, Chihiro Morita, Chieko Takahashi, Daisuke Suzuki, Hideto Sakai, and Yasuhiko Iwamoto* 650

Dynamic tests of parathyroid hormone secretion using hemodialysis and calcium infusion cannot be compared. *Rosa M.A. Moysés, Renata Cristina Pereira, Luciene Machado dos Reis, Emil Sabbaga, and Vanda Jorgetti* 659

Prediction in idiopathic membranous nephropathy. *Brigitte E. Marx and Martin Marx* 666

Randomized, double-blind, placebo-controlled study of arginine supplementation in chronic renal failure. *Luca De Nicola, Vincenzo Bellizzi, Robert Minutolo, Michele Andreucci, Alfredo Capuano, Giacomo Garibotto, Gaetano Corso, Vittorio E. Andreucci, and Bruno Cianciaruso* 674

DIALYSIS–TRANSPLANTATION

Safety of Neoral conversion in maintenance renal transplant patients: A one-year, double-blind study. *Daniel C. Brennan, Ralph Barbeito, James Burke, Kenneth Brayman, Stuart Greenstein, and Tammy Chang, on behalf of the Novartis OLN-353 Study Group* 685

Sum of segmental bioimpedance analysis during ultrafiltration and hemodialysis reduces sensitivity to changes in body position. *Fansan Zhu, Daniel Schneditz, and Nathan W. Levin* 692

Hepatitis C virus genotype does not affect patient survival among renal transplant candidates. *Svetlozar N. Natov, Johnson Y.N. Lau, Robin Ruthazer, Christopher H. Schmid, Andrew S. Levey, Brian J.G. Pereira, and The New England Organ Bank Hepatitis C Study Group* 700

Effect of blood perfusion on diffusive transport in peritoneal dialysis. *Jacek Waniewski, Andrzej Werynski, and Bengt Lindholm* 707

Losartan decreases plasma levels of TGF-β1 in transplant patients with chronic allograft nephropathy. *Josep M. Campistol, Pablo Iñigo, Wladimiro Jimenez, Sergio Lario, Paul H. Clesca, Federico Oppenheimer, and Francisca Rivera* 714

Quality of life over time in dialysis: The Netherlands Cooperative Study on the Adequacy of Dialysis. *Maruschka P. Merkus, Kitty J. Jager, Friedo W. Dekker, Rob J. de Haan, Els W. Boeschoten, and Raymond T. Krediet, for the NECOSAD Study Group* 720

The urea {clearance × dialysis time} product (Kt) as an outcome-based measure of hemodialysis dose. *Edmund G. Lowrie, Glenn M. Chertow, Nancy L. Lew, J. Michael Lazarus, and William F. Owen* 729

Donor catecholamine use reduces acute allograft rejection and improves graft survival after cadaveric renal transplantation. *Peter Schnuelle, Dietmar Lorenz, Alexander Mueller, Michael Trede, and Fokko Johannes van der Woude* (see Editorial, p. 756) 738

Critical evaluation of plasma and LDL oxidant-trapping potential in hemodialysis patients. *Thao Nguyen-Khoa, Ziad A. Massy, Véronique Witko-Sarsat, Marc Thévenin, Malik Touam, Guy Lambrey, Bernard Lacour, Tilman B. Drüeke, and Béatrice Descamps-Latscha* 747

EDITORIALS

Urea: Surrogate or toxin? *Jonathan Himmelfarb* 754

Management of the cadaveric donor of a renal transplant: More than optimizing renal perfusion? *Christopher Y. Lu* 756

LETTERS TO THE EDITOR

Moderately high serum ferritin concentration is not a sign of iron overload in dialysis patients. *Kamyar Kalantar-Zadeh, Friedrich C. Luft, and Michael H. Humphreys* 758

Authors' reply. *Joseph W. Eschbach and John W. Adamson* 759

Errors in reported association between Tamm-Horsfall protein and IgG. *Diana C.J. Rhodes, Edward J. Hinsman, and James A. Rhodes* 759

NEPHROLOGY FORUM

Making the diagnosis of Alport's syndrome. *Yves Pirson* 760

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 776

Awards and grants 779

Errata 780

Instructions for Authors on page xviii

KIDNEY INTERNATIONAL

Volume 56, Number 3, September 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Chronic allograft nephropathy: An update. *L.C. Paul* 783

PERSPECTIVES IN BASIC SCIENCE

Role of vascular endothelial growth factor in the regulation of angiogenesis. *Napoleone Ferrara* 794

GENETIC DISORDERS – DEVELOPMENT

Syntaxin 3 and Munc-18-2 in epithelial cells during kidney development. *Sanna Lehtonen, Kirsi Riento, Vesa M. Olkkonen, and Eero Lehtonen* 815

cDNA cloning and embryonic expression of mouse nuclear pore membrane glycoprotein 210 mRNA. *Magnus Olsson, Marja Ekblom, Lothar Fecker, Markku Kurkinen, and Peter Ekblom* 827

HORMONES – CYTOKINES – SIGNALING

Modulation of interleukin-6 by β_2-adrenoceptor in endotoxin-stimulated renal macrophage cells. *Akio Nakamura, Edward J. Johns, Akira Imaizumi, Yukishige Yanagawa, and Takao Kohsaka* 839

Aminopeptidase A activity and angiotensin III effects on $[Ca^{2+}]_i$ along the rat nephron. *Annette Hus-Citharel, Jean-Marie Gasc, Sylvie Zini, Jeannine Marchetti, Bernard Roques, Pierre Corvol, and Catherine Llorens-Cortes* 850

Leptin stimulates proliferation and TGF-β expression in renal glomerular endothelial cells: Potential role in glomerulosclerosis. *Gunter Wolf, Andreas Hamann, Dong Cheol Han, Udo Helmchen, Friedrich Thaiss, Fuad N. Ziyadeh, and Rolf A.K. Stahl* (see Editorial, p. 1154) 860

c-Rel and p65 *trans*-activate the monocyte chemoattractant protein-1 gene in interleukin-1 stimulated mesangial cells. *Eleni Stylianou, Mei Nie, Atsuhisa Ueda, and Lei Zhao* 873

Localization of fibroblast growth factor-2 (basic FGF) and FGF receptor-1 in adult human kidney. *Jürgen Floege, Kelly L. Hudkins, Frank Eitner, Yan Cui, Richard S. Morrison, Margaret A. Schelling, and Charles E. Alpers* (see Editorial, p. 1156) 883

Effect of candesartan cilexetil (TCV-116) in rats with chronic renal failure. *Masakuni Noda, Takanori Matsuo, Ryo Fukuda, Masayuki Ohta, Hiroko Nagano, Yumiko Shibouta, Takehiko Naka, Kohei Nishikawa, and Yoshimi Imura* 898

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Dynamics of E-cadherin and γ-catenin complexes during dedifferentiation of polarized MDCK cells. *Daniel F. Balkovetz and Vijaya Sambandam* 910

Protection from toxicant-mediated renal injury in the rat with anti-CD54 antibody. *K.J. Kelly, Shane M. Meehan, Robert B. Colvin, Winfred W. Williams, Jr., and Joseph V. Bonventre* 922

Pentoxifylline attenuates experimental mesangial proliferative glomerulonephritis. *Yung-Ming Chen, Chiang-Ting Chien, Mi-I Hu-Tsai, Kwan-Dun Wu, Chien-Chen Tsai, Ming-Shiou Wu, and Tun-Jun Tsai* 932

Cover: Detection of mouse nuclear pore membrane glycoprotein 210 (mPOM210) transcript in the mouse embryo. (From Olsson et al, p. 836)

Contents continued on next page

Gender differences in renal growth and function after uninephrectomy in adult rats. *Susan E. Mulroney, Craig Woda, Michele Johnson, and Carlo Pesce* 944

Inhibition of glomerular cell apoptosis by heparin. *Yoshihisa Ishikawa and Masanori Kitamura* 954

Dissociation of mesangial cell migration and proliferation in experimental glomerulonephritis. *Leah A. Haseley, Christian Hugo, Michael A. Reidy, and Richard J. Johnson* 964

Inhibitors of poly (ADP-ribose) synthetase protect rat proximal tubular cells against oxidant stress. *Prabal K. Chatterjee, Salvatore Cuzzocrea, and Christoph Thiemermann* 973

TGF-β1 down-regulates induced expression of both class II MHC and B7-1 on primary murine renal tubular epithelial cells. *Nazifa Banu and Catherine M. Meyers* 985

MIP-1α and MCP-1 contribute to crescents and interstitial lesions in human crescentic glomerulonephritis. *Takashi Wada, Kengo Furuichi, Chikako Segawa-Takeda, Miho Shimizu, Norihiko Sakai, Shin-ichi Takeda, Kazuya Takasawa, Hiroshi Kida, Ken-ichi Kobayashi, Naofumi Mukaida, Yasukazu Ohmoto, Kouji Matsushima, and Hitoshi Yokoyama* 995

Increased oxidative stress in mouse kidneys with unilateral ureteral obstruction. *Noritaka Kawada, Toshiki Moriyama, Akio Ando, Megumu Fukunaga, Toshio Miyata, Kiyoshi Kurokawa, Enyu Imai, and Masatsugu Hori* 1004

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Mechanism of FK 506/520 action on rat renal proximal tubular Na^+,K^+-ATPase activity. *Ulla Holtbäck and Ann-Christine Eklöf* 1014

Presence of fructose transporter GLUT5 in the S3 proximal tubules in the rat kidney. *Minako Sugawara-Yokoo, Takeshi Suzuki, Toshiyuki Matsuzaki, Takuji Naruse, and Kuniaki Takata* 1022

Intrarenal distribution of the colonic H.K-ATPase mRNA in rabbit. *Géza Fejes-Tóth, Anikó Náray-Fejes-Tóth, and Heino Velázquez* 1029

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Renin-angiotensin blockade lowers glomerular MCP-1 expression in diabetic rats. *Shinichiro Kato, Valerie A. Luyckx, Mai Ots, Kang-Wook Lee, Farzad Ziai, Julia L. Troy, Barry M. Brenner, and Harald S. Mackenzie* 1037

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Lipoprotein(a) and apolipoprotein(a) isoforms and proteinuria in patients with moderate renal failure. *Leonardo A. Sechi, Laura Zingaro, Cristiana Catena, Antonella Perin, Sergio De Marchi, and Ettore Bartoli* 1049

Role of hypoalbuminemia and hypocholesterolemia as copredictors of mortality in acute renal failure. *Chamberlain I. Obialo, Eni C. Okonofua, Magnus C. Nzerue, Arti S. Tayade, and Louis J. Riley* . 1058

Homocysteine and methionine metabolism in ESRD: A stable isotope study. *Coen van Guldener, Wim Kulik, Ruud Berger, Denise A. Dijkstra, Cornelis Jakobs, Dirk-Jan Reijngoud, Ab J.M. Donker, Coen D.A. Stehouwer, and Kees de Meer* 1064

A new dimension to the Barker hypothesis: Low birthweight and susceptibility to renal disease. *Wendy E. Hoy, Megan Rees, Emma Kile, John D. Mathews, and Zhiqiang Wang* 1072

Serum malondialdehyde and prevalent cardiovascular disease in hemodialysis. *Mona Boaz, Zipora Matas, Alexander Biro, Ze'ev Katzir, Manfred Green, Menahem Fainaru, and Shmuel Smetana* 1078

Bone mineral density and biochemical markers of bone turnover in patients with predialysis chronic renal failure. *Marianne Rix, Helle Andreassen, Peter Eskildsen, Bente Langdahl, and Klaus Olgaard* 1084

DIALYSIS – TRANSPLANTATION

Transplantation for primary hyperoxaluria in the United States. *Pablo Saborio and Jon I. Scheinman* 1094

Peripheral donor leukocytes prolong survival of rat renal allografts. *Marina Noris, Nadia Azzollini, Marilena Mister, Angela Pezzotta, Giampiero Piccinini, Federica Casiraghi, Daniela Cugini, Norberto Perico, Silvia Orisio, and Giuseppe Remuzzi* 1101

Factors determining the percentage of hypochromic red blood cells in hemodialysis patients. *Christophe Bovy, Chantal Tsobo, Linda Crapanzano, Georges Rorive, Yves Beguin, Adelin Albert, and Jean-Michel Paulus* 1113

GBV-C/HGV-RNA in serum and peripheral blood mononuclear cells in hemodialysis patients. *María Cabrerizo, Javier Bartolomé, Patricia de Sequera, Carlos Caramelo, M. Luisa Manzano, and Vicente Carreño* 1120

Ultrafiltration method for measuring vascular access flow rates during hemodialysis. *Deniz Yarar, Alfred K. Cheung, Paul Sakiewicz, Robert M. Lindsay, Emil P. Paganini, Robert R. Steuer, and John K. Leypoldt* 1129

Body weight-for-height relationships predict mortality in maintenance hemodialysis patients. *Joel D. Kopple, Xiaofei Zhu, Nancy L. Lew, and Edmund G. Lowrie* 1136

Quest for postdialysis urea rebound-equilibrated Kt/V with only intradialytic urea samples. *Guillaume Jean, Bernard Charra, Charles Chazot, and Guy Laurent* 1149

EDITORIALS

A role for leptin in glomerulosclerosis? *Barbara J. Ballermann* 1154

FGF-2: Specific activity in kidney? *Jonathan Barasch* 1156

LETTERS TO THE EDITOR

Evidence of lectin complement pathway activation in poststreptococcal glomerulonephritis. *Isao Ohsawa, Hiroyuki Ohi, Morito Endo, Takayuki Fujita, Misao Matsushita, and Teizo Fujita* 1158

High expression of erythropoietin receptor in human chronic progressive glomerulonephritis. *Naoki Ikegaya, Akira Hishida, and Tatsuo Yamamoto* 1159

NEPHROLOGY FORUM

HIV-associated nephropathy. *Paul E. Klotman* 1161

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1178

Awards and grants 1180

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 56, Number 4, October 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

FOREFRONTS IN NEPHROLOGY: IN AND OUT OF CONTROL: THE REGULATION OF RENAL CELL GROWTH
Jackson Hole, Wyoming, USA
June 13–16, 1998

Introduction. *Patricia Preisig and R. Bernd Sterzel* 1181

A cell cycle-dependent mechanism of renal tubule epithelial cell hypertrophy. *Patricia Preisig* 1193

Regulation of mesangial cell proliferation. *Harald O. Schöcklmann, Stefan Lang, and R. Bernd Sterzel* 1199

Cell cycle regulatory proteins in glomerular disease. *Stuart J. Shankland* 1208

Regulation of glomerular cell number by apoptosis. *John Savill* 1216

Oxidant-induced apoptosis of glomerular cells: Intracellular signaling and its intervention by bioflavonoid. *Masanori Kitamura and Yoshihisa Ishikawa* 1223

The function of PTB domain proteins. *Ben Margolis, Jean-Paul Borg, Sam Straight, and Debra Meyer* 1230

SUMMARIES OF POSTER PRESENTATIONS

Regulation of the G1/S transition phase in mesangial cells by E2F1. *Seiji Inoshita, Yoshio Terada, Osamu Nakashima, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* 1238

Extracellular matrix as a determinant of signaling responses in glomerular epithelial cells. *Andrey V. Cybulsky* 1242

Glomerular ultrafiltration and apical tubular action of IGF-I, TGF-β, and HGF in nephrotic syndrome. *Shi-Nong Wang, Janine LaPage, and Raimund Hirschberg* 1247

An emerging role for agmatine. *Joseph Satriano, Carolyn J. Kelly, and Roland C. Blantz* 1252

Cyclosporine A-induced cell cycle arrest and cell death in renal epithelial cells. *Christine Lally, Edel Healy, and Michael P. Ryan* 1254

Regulation of cyclin D1 expression and cell cycle progression by mitogen-activated protein kinase cascade. *Yoshio Terada, Seiji Inoshita, Osamu Nakashima, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* 1258

Molecular mechanisms of renal hypertrophy: Role of $p27^{Kip1}$. *Gunter Wolf* 2362

Factors produced by activated leukocytes alter renal epithelial cell differentiation. *Edel Healy, Martin Leonard, Laura Madrigal-Estebas, Cliona O'Farrelly, Alan J. Watson, and Michael P. Ryan* 1266

Induction of heat shock protein 70 protects mesangial cells against oxidative injury. *Hung-Chun Chen, Jinn-Yuh Guh, Juei-Hsiung Tsai, and Yung-Hsiung Lai* 1270

Effect of oxidant stress on growth factor stimulation of proliferation in cultured human proximal tubule cells. *Charles E. Weston, Morgan B. Feibelman, Kuoting Wu, and Eric E. Simon* 1274

Cover: Immunoperoxidase staining of a highly elongated, hypertrophic and invasive myfibroblast showing a strong α-smooth muscle actin expression. (From Fan et al., Fig. 7E, p. 1463)

Contents continued on next page

Mechanisms of chronic hypoxia-induced renal cell growth. *Atul Sahai, Changlin Mei, Robert W. Schrier, and Richard L. Tannen* 1277

Temporal profile of serum-induced S-phase entry and retinoblastoma protein phosphorylation in human skin fibroblasts. *Farhad R. Danesh, Minghao Ye, Sasan Salmi, Michael LaPointe, and Daniel Batlle* 1282

Determination of telomerase activity for differential analysis of multifocal renal cell carcinomas. *Wolfgang Fiedler, Kerstin Junker, Andres Schlichter, Joerg Schubert, Guenther Ernst, Regine Dahse, and Uwe Claussen* 1286

Telomerase activity and telomere lengths: Alterations in renal cell carcinomas. *Regine Dahse, Wolfgang Fiedler, Kerstin Junker, Andres Schlichter, Joerg Schubert, and Uwe Claussen* 1289

Genetic characterization of multifocal tumor growth in renal cell carcinoma. *Kerstin Junker, Andreas Schlichter, Winfried Hindermann, and Joerg Schubert* 1291

Apoptosis induced by cisplatin nephrotoxic injury. *Alan H. Lau* 1295

Cell survival or death in renal tubular epithelium after ischemia-reperfusion injury. *Glenda Gobé, Desley Willgoss, Nicole Hogg, Estelle Schoch, and Zoltan Endre* 1299

Molecular controls of radiation-induced apoptosis in the neonatal rat kidney. *Glenda Gobé, Estelle Schoch, and Jennifer Leighton* 1305

Oxidative stress mediates apoptosis induced by oxidized low-density lipoprotein and oxidized lipoprotein(a). *Kathrin Heermeier, Reinhard Schneider, Alexandra Heinloth, Christoph Wanner, Stephanie Dimmeler, and Jan Galle* 1310

Involvement of Fas-dependent apoptosis in renal tubular epithelial cell deletion in chronic renal failure. *Jeffrey R. Schelling and Ronald P. Cleveland* 1313

GENETIC DISORDERS – DEVELOPMENT

A novel 18-amino acid deletion in apolipoprotein E associated with lipoprotein glomerulopathy. *Minoru Ando, Jun Sasaki, Han Hua, Akira Matsunaga, Keiko Uchida, Kensuke Jou, Shinichi Oikawa, Takao Saito, and Hiroshi Nihei* 1317

Polycystin-1 expression in PKD1, early-onset PKD1, and TSC2/PKD1 cystic tissue. *Albert C.M. Ong, Peter C. Harris, David R. Davies, Lynn Pritchard, Sandro Rossetti, Simon Biddolph, David J.T. Vaux, Nicola Migone, and Christopher J. Ward* 1324

Neutralizing TGF-β1 antibody infusion in neonatal rat delays *in vivo* glomerular capillary formation. *Ailian Liu, Alan Dardik, and Barbara J. Ballermann* (See Editorial, p. 1597) 1334

HORMONES – CYTOKINES – SIGNALING

Vitamin D receptor genotype influences parathyroid hormone and calcitriol levels in predialysis patients. *Maria Paz Marco, Isabel Martínez, Maria Luisa Amoedo, Mercè Borràs, Ramón Saracho, Jaume Almirall, Joan Fibla, and Elvira Fernández* 1349

The transforming growth factor-β/SMAD signaling pathway is present and functional in human mesangial cells. *Anne-Christine Poncelet, Mark P. de Caestecker, and H. William Schnaper* 1354

Role of MAP kinase pathways in mediating IL-6 production in human primary mesangial and proximal tubular cells. *Martin Leonard, Michael P. Ryan, Alan J. Watson, Herbert Schramek, and Edel Healy* 1366

TGF-β-activating kinase-1 inhibits cell cycle and expression of cyclin D1 and A in LLC-PK1 cells. *Yoshio Terada, Osamu Nakashima, Seiji Inoshita, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* 1378

Serotonin metabolism in rat mesangial cells: Involvement of a serotonin transporter and monoamine oxidase A. *Nathalie Pizzinat, Jean-Pierre Girolami, and Angelo Parini, with the technical assistance of Christiane Pecher and Catherine Ordener* 1391

Aldosterone activates Na^+/H^+ exchange in vascular smooth muscle cells by nongenomic and genomic mechanisms. *Satoru Ebata, Shigeaki Muto, Koji Okada, Jun Nemoto, Morimasa Amemiya, Toshikazu Saito, and Yasushi Asano* 1400

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Integrin $\alpha_1\beta_3$–RGDS interaction mediates fibrin-induced morphological changes of glomerular endothelial cells. *Qihe Xu, Xiangmei Chen, Bo Fu, Yizhou Ye, Lifang Yu, Jianzhong Wang, Wenge Li, and Qingli Cheng* 1413

Re-expression of the developmental gene *Pax-2* during experimental acute tubular necrosis in mice. *Michael Imgrund, Elisabeth Gröne, Hermann-Josef Gröne, Matthias Kretzler, Lawrence Holzman, Detlef Schlöndorff, and Uwe W. Rothenpieler* (See Editorial, p. 1599) 1423

Role of phospholipase A_2 in the cytotoxic effects of oxalate in cultured renal epithelial cells. *Yasuo Kohjimoto, Lori Kennington, Cheryl R. Scheid, and Thomas W. Honeyman* 1433

Angiotensin-converting enzyme in non-neoplastic kidney diseases. *Roman Metzger, Rainer M. Bohle, Katharina Pauls, Gerrit Eichner, François Alhenc-Gelas, Sergei M. Danilov, and Folker E. Franke* . . . 1442

Transforming growth factor-β regulates tubular epithelial-myofibroblast transdifferentiation *in vitro*. *Jun-Ming Fan, Yee-Yung Ng, Prudence A. Hill, David J. Nikolic-Paterson, Wei Mu, Robert C. Atkins, and Hui Y. Lan* 1455

α8 Integrin in glomerular mesangial cells and in experimental glomerulonephritis. *Andrea Hartner, Harald Schöcklmann, Felicitas Pröls, Ulrich Müller, and R. Bernd Sterzel* 1468

RAPID COMMUNICATION: Nephrin localizes to the slit pore of the glomerular epithelial cell. *Lawrence B. Holzman, Patricia L. St. John, Iulia A. Kovari, Rakesh Verma, Harry Holthofer, and Dale R. Abrahamson* 1481

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Increased nitric oxide inactivation by reactive oxygen species in lead-induced hypertension. *Nosratola D. Vaziri, Kaihui Liang, and Yaoxian Ding* 1492

High plasma renin activity is combined with elevated urinary albumin excretion in essential hypertensive patients. *Roberta Baldoncini, Giovambattista Desideri, Cesare Bellini, Marco Valenti, Giancarlo De Mattia, Anna Santucci, and Claudio Ferri* 1499

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Reduced crystallization inhibition by urine from men with nephrolithiasis. *John R. Asplin, Joan H. Parks, May S. Chen, John C. Lieske, F. Gary Toback, Sokalingum N. Pillay, Yashushi Nakagawa, and Fredric L. Coe* 1505

Impaired autoregulation of the glomerular filtration rate in patients with nondiabetic nephropathies. *Per K. Christensen, Eva E. Hommel, Peter Clausen, Bo Feldt-Rasmussen, and Hans-Henrik Parving* 1517

Nontraumatic lower extremity amputations in the Medicare end-stage renal disease population. *Paul W. Eggers, Dorothy Gohdes, and Jacqueline Pugh* 1524

Beneficial effects of ACTH on the serum lipoprotein profile and glomerular function in patients with membranous nephropathy. *Anna-Lena Berg, Peter Nilsson-Ehle, and Margret Arnadottir* 1534

DIALYSIS – TRANSPLANTATION

Recurrent ANCA-associated small vessel vasculitis after transplantation: A pooled analysis. *Patrick H. Nachman, Mårten Segelmark, Kerstin Westman, Susan L. Hogan, Karen K. Satterly, J. Charles Jennette, and Ronald Falk* 1544

Cadaver versus living donor kidneys: Impact of donor factors on antigen induction before transplantation. *Dicken D.H. Koo, Kenneth I. Welsh, Andrew J. McLaren, Justin A. Roake, Peter J. Morris, and Susan V. Fuggle* 1551

Determination of access blood flow from ionic dialysance: Theory and validation. *Lucile Mercadal, Aziz Hamani, Bernard Béné, and Thierry Petitclerc* 1560

Left ventricular hypertrophy, treadmill tests, and 24-hour blood pressure in pediatric transplant patients. *Maria Chiara Matteucci, Ugo Giordano, Armando Calzolari, Attilio Turchetta, Antonella Santilli, and Gianfranco Rizzoni* 1566

Contents continued on next page

Rebound kinetics of β_2-microglobulin after hemodialysis. *John K. Leypoldt, Alfred K. Cheung, and R. Barry Deeter* 1571

Effect of anticoagulation using unfractionated heparin on blood membrane interactions during hemodialysis. *Roland Hofbauer, Doris Moser, Michael Frass, Rainer Oberbauer, Alan D. Kaye, O. Wagner, Stylianos Kapiotis, and Wilfred Druml* 1578

COMMENTARY

Latin American nephrology: Scientific production and impact of the publications. *José R. Weisinger and Ezequiel Bellorín-Font* 1584

HISTORICAL ARCHIVES

Edmund Randerath (1899–1961): Experimental proof for the glomerular origin of proteinuria. *Rüdiger Waldherr and Eberhard Ritz* 1591

EDITORIALS

Glomerular endothelial cell development. *Dale R. Abrahamson* 1597

Renal regeneration: Reiterating a developmental paradigm. *Robert Safirstein* 1599

LETTERS TO THE EDITOR

Non-amyloid fibrils in heavy chain deposition disease. *Jacek M. Polski, Nancy Galvin, and Luis Salinas-Madrigal* 1601

Renal allograft pathology: The Banff classification. *Marc Baltzan and David George* 1602

Diuretics and renal cell carcinoma—What is the risk/benefit ratio? *Ehud Grossman and Franz H. Messerli* 1603

Peritoneal elimination of homocysteine moieties in continuous ambulatory peritoneal dialysis. *Amedeo F. De Vecchi, Fabrizia Bamonti Catena, Roberto Accinni, and Christina Patrosso* 1604

NEPHROLOGY FORUM

Molecular biology of distal nephron sodium transport mechanisms. *Gerardo Gamba* 1606

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1623

Awards and grants 1625

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 56, Number 5, November 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The tubulointerstitium in progressive diabetic kidney disease: More than an aftermath of glomerular injury? *Richard E. Gilbert and Mark E. Cooper* 1627

PERSPECTIVES IN BASIC SCIENCE

The HLA complex in Goodpasture's disease: A model for analyzing susceptibility to autoimmunity. *Richard G. Phelps and Andrew J. Rees* 1638

GENETIC DISORDERS – DEVELOPMENT

Renal renin-angiotensin system dysregulation caused by partial bladder outlet obstruction in fetal sheep. *Rita Gobet, John M. Park, Hiep T. Nguyen, Barry Chang, Lars J. Cisek, and Craig A. Peters* 1654

Role for transforming growth factor-β1 in Alport renal disease progression. *Robinlyn Sayers, Raghuram Kalluri, Kathryn D. Rodgers, Charles F. Shield III, Daniel T. Meehan, and Dominic Cosgrove* 1662

Autosomal recessive distal renal tubular acidosis associated with Southeast Asian ovalocytosis. *Somkiat Vasuvattakul, Pa-thai Yenchitsomanus, Prayong Vachuanichsanong, Peti Thuwajit, Charoen Kaitwatcharachai, Vichai Laosombat, Prida Malasit, Prapon Wilairat, and Sumalee Nimmannit* 1674

Nephrotoxin exposure *in utero* reduces glomerular number in sclerosis-prone but not sclerosis-resistant mice. *Susanne B. Schwedler, Thierry Gilbert, Evelyne Moreau, Liliane J. Striker, Claudie Merlet-Bénichou, Gary E. Striker* (See Editorial, p. 1962) 1683

HORMONES – CYTOKINES – SIGNALING

The cyclin kinase inhibitor $p21^{WAF1/CIP1}$ is required for glomerular hypertrophy in experimental diabetic nephropathy. *Mouhannad Al-Douahji, James Brugarolas, Paul A.J. Brown, Catherine O. Stehman-Breen, Charles E. Alpers, and Stuart J. Shankland* 1691

Polycations induce calcium signaling in glomerular podocytes. *Frank Rüdiger, Rainer Greger, Roland Nitschke, Anna Henger, Peter Mundel, and Hermann Pavenstädt* 1700

TGF-β1 activates MAP kinase in human mesangial cells: A possible role in collagen expression. *Tomoko Hayashida, Anne-Christine Poncelet, Susan C. Hubchak, and H. William Schnaper* 1710

Mesangial cell signaling cascades in response to mechanical strain and glucose. *Alistair John Ingram, Hao Ly, Kerri Thai, Myung-Jae Kang, and James W. Scholey* 1721

C3a is made by proximal tubular HK-2 cells and activates them via the C3a receptor. *Philip W. Peake, Sue O'Grady, Bruce A. Pussell, and John A. Charlesworth* 1729

Differential expression of protein kinase C isoforms in streptozotocin-induced diabetic rats. *Ningling Kang, Gabriele Alexander, Joon Keun Park, Christian Maasch, Igor Buchwalow, Friedrich C. Luft, and Hermann Haller* 1737

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Kidney biopsy as a predictor for renal outcome in ANCA-associated necrotizing glomerulonephritis. *Ingeborg M. Bajema, E. Christiaan Hagen, Jo Hermans, Laure-Hélène Noël, Rüdiger Waldherr, Franco Ferrario, Fokko J. van der Woude, and Jan A. Bruijn, for the EC/BCR Project for ANCA-Assay Standardisation* 1751

Cover: Graft arteriosclerosis in chronic allograft nephropathy. (From Sayegh, Fig. 1B, p. 1968)

Contents continued on next page

Transplant surgery injury recruits recipient MHC class II-positive leukocytes into the kidney. *Jeffrey G. Penfield, Yuqin Wang, Shujun Li, Mariusz A. Kielar, Stanley C. Sicher, D. Rohan Jeyarajah, and Christopher Y. Lu* 1759

Effect of flosulide, a selective cyclooxygenase 2 inhibitor, on passive Heymann nephritis in the rat. *Cornelia Blume, Gunhild Heise, Anja Mühlfeld, Dieter Bach, Karsten Schrör, Claus Dieter Gerhardz, Bernd Grabensee, and Peter Heering* 1770

Brief periods of hyperphagia cause renal injury in the obese Zucker rat. *Matthew D. Gades, Harry van Goor, George A. Kaysen, Patricia R. Johnson, Barbara A. Horwitz, and Judith S. Stern* 1779

Increased proximal tubular cholesterol content: Implications for cell injury and "acquired cytoresistance." *Richard A. Zager, Kristin M. Burkhart, Ali C.M. Johnson, and Benjamin M. Sacks* 1788

Long-term protective effect of UR-12670 after warm renal ischemia in uninephrectomized rats. *Joan Torras, Josep Maria Cruzado, Marta Riera, Enric Condom, Natalia Duque, Immaculada Herrero, Manuel Merlos, Lluis Espinosa, Nuria Lloberas, Jesus Egido, and Josep Maria Grinyó* 1798

Bone marrow transplantation attenuates murine IgA nephropathy: Role of a stem cell disorder. *Toshiyuki Imasawa, Ryuji Nagasawa, Yasunori Utsunomiya, Tetsuya Kawamura, Yu Zhong, Noriko Makita, Eri Muso, Shigeki Miyawaki, Naoki Maruyama, Tatsuo Hosoya, Osamu Sakai, and Tsuneya Ohno* (See Editorial, p. 1964) 1809

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Selective decrease of mRNAs encoding plasma membrane calcium pump isoforms 2 and 3 in rat kidney. *Ariel J. Caride, Eduardo N. Chini, John T. Penniston, and Thomas P. Dousa* 1818

Factors maintaining a pH gradient within the kidney: Role of the vasculature architecture. *Thomas J. Burke, Deepak Malhotra, and Joseph I. Shapiro* 1826

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Effect of L-arginine infusion in normotensive subjects with and without a family history of hypertension. *Hans Herlitz, Lennart U. Jungersten, John Wikstrand, and Bengt R. Widgren* 1838

Characterization of renal artery stenoses based on magnetic resonance renal flow and volume measurements. *Christoph A. Binkert, Ulrich Hoffman, Daniel A. Leung, Hans-Georg Matter, Michaela Schmidt, and Jörg F. Debatin* 1846

Renal function in the AT_{1A} receptor knockout mouse during normal and volume-expanded conditions. *Ludek Cervenka, Kenneth D. Mitchell, Michael I. Oliverio, Thomas M. Coffman, and L. Gabriel Navar* 1855

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Spectrum of disease in familial focal and segmental glomerulosclerosis. *Peter J. Conlon, Kelvin Lynn, Michelle P. Winn, L. Darryl Quarles, Mary Lou Bembe, Margaret Pericak-Vance, Marcy Speer, and David N. Howell, on behalf of the International Collaborative Group for the Study of Familial Focal and Segmental Glomerulosclerosis* 1863

Exploring the reverse J-shaped curve between urea reduction ratio and mortality. *Glenn M. Chertow, William F. Owen, J. Michael Lazarus, Nancy L. Lew, and Edmund G. Lowrie* 1872

Safety of losartan in hypertensive patients with thiazide-induced hyperuricemia. *Shahnaz Shahinfar, Roger L. Simpson, Alexandra D. Carides, Balasamy Thiyagarajan, Yasushi Nakagawa, Joan H. Parks, and Fredric L. Coe, for the Losartan Uric Acid Study Group* 1879

Increased serum strontium levels in dialysis patients: An epidemiological survey. *Iris Schrooten, Monique M. Elseviers, Ludwig V. Lamberts, Marc E. De Broe, and Patrick C. D'Haese* 1886

Nanobacteria: An infectious cause for kidney stone formation. *Neva Çiftçioglu, Mikael Björklund, Kai Kuorikoski, Kim Bergström, and E. Olavi Kajander* 1893

National trend of the incidence of urolithiasis in Japan from 1965 to 1995. *Osamu Yoshida, Akito Terai, Tadashi Ohkawa, and Yusaku Okada* 1899

DIALYSIS–TRANSPLANTATION

Cardiac evaluation in hypotension-prone and hypotension-resistant hemodialysis patients. *Don Poldermans, Arie J. Man in 't Veld, Riccardo Rambaldi, Anton H. van den Meiracker, Marinus A. van den Dorpel, Guido Rocchi, Eric Boersma, Jeroen J. Bax, Willem Weimar, Jos R.T.C. Roelandt, and Robert Zietse* 1905

Renal allograft survival following acute rejection correlates with blood pressure levels and histopathology. *Fernando G. Cosio, Ronald P. Pelletier, Daniel D. Sedmak, Todd E. Pesavento, Mitchell L. Henry, and Ronald M. Ferguson* 1912

Sharing cross-reactive groups of MHC class I improves long-term graft survival. *Yvo W.J. Sijpkens, Ilias I.N. Doxiadis, Johan W. de Fijter, Marko J.K. Mallat, Leendert A. van Es, Peter de Lange, Aeilko H. Zwinderman, Rudi G.J. Westendorp, Folkert J. van Kemenade, Jan-Anthonie Bruijn, Frans H.J. Claas, and Leendert C. Paul* 1920

Relationship between apparent (single-pool) and true (double-pool) urea distribution volume. *John T. Daugirdas, Tom Greene, Thomas A. Depner, Frank A. Gotch, Robert A. Star, and the Hemodialysis (HEMO) Study Group* 1928

Effects of an amino acid dialysate on leucine metabolism in continuous ambulatory peritoneal dialysis patients. *Jacques Delarue, Claude Maingourd, Martine Objois, Michèle Pinault, Richard Cohen, Charles Couet, and Fernand Lamisse* 1934

Successful management of pulmonary tuberculosis in renal allograft recipients in a single center. *Vivekanand Jha, Vinay Sakhuja, Dheeraj Gupta, V. Sree Krishna, Arunaloke Chakrabarti, Kusum Joshi, Kamal Sud, Harbir S. Kohli, and Krishan L. Gupta* 1944

HISTORICAL ARCHIVES

The early introduction of percutaneous renal biopsy in Italy. *Giovanni B. Fogazzi and J. Stewart Cameron* 1951

EDITORIALS

Glomerulosclerosis and hypoplasia: A common theme? *Ellis D. Avner* 1962

IgA nephropathy: A stem cell disease? *Marina Noris and Giuseppe Remuzzi* 1964

NEPHROLOGY FORUM

Why do we reject a graft? Role of indirect allorecognition in graft rejection. *Mohamed H. Sayegh* 1967

INTERNATIONAL SOCIETY OF NEPHROLOGY AWARDS

Presentation of the 1999 A.N. Richards Award to Isidore S. Edelman. *Thomas E. Andreoli* 1980

Acceptance of the 1999 A.N. Richards Award. *Isidore S. Edelman* 1985

Presentation of the 1999 A.N. Richards Award to Hans Ussing. *Robert W. Berliner* 1986

Acceptance of the 1999 A.N. Richards Award. *Hans Ussing* 1987

Presentation of the 1999 Jean Hamburger Award to Robert H. Heptinstall. *Gary S. Hill* 1988

Acceptance of the 1999 Jean Hamburger Award. *Robert H. Heptinstall* 1991

Presentation of the 1999 Jean Hamburger Award to Barry M. Brenner. *Iekuni Ichikawa* 1993

Acceptance of the 1999 Jean Hamburger Award. *Barry M. Brenner* 1996

INTERNATIONAL SOCIETY OF NEPHROLOGY

Reports of the ISN Executive Committee 1997

Meetings 2001

Awards and grants 2003

Instructions for Authors on page xxiii

KIDNEY INTERNATIONAL

Volume 56, Supplement 72, November 1999

Hemofiltration in Multiple Organ Failure

Table of contents

Introduction. *Horst P. Kierdorf, Claudio Ronco, and Heinz-Günter Sieberth* S-1

PRACTICAL ASPECTS AND NEW TECHNIQUES

CRRT efficiency and efficacy in relation to solute size. *William R. Clark and Claudio Ronco* S-3

Online monitoring in continuous renal replacement therapies. *Claudio Ronco, Alessandra Brendolan, and Rinaldo Bellomo* S-8

Use of adsorptive mechanisms in continuous renal replacement therapies in the critically ill. *Ciro Tetta, Rinaldo Bellomo, Alessandra Brendolan, Pasquale Piccinni, Antonio Digito, Maurizio Dan, Marco Irone, Gerhard Lonnemann, Donatella Moscato, Juan Buades, Giuseppe La Greca, and Claudio Ronco* S-15

High clearance continuous renal replacement therapy with a modified dialysis machine. *Christian Schlaeper, Richard Amerling, Markus Manns, and Nathan W. Levin* S-20

GENERAL PHARMACOKINETICS IN CRRT

Pharmacokinetic principles during continuous renal replacement therapy: Drugs and dosage. *Joachim Böhler, Johannes Donauer, and Frieder Keller* S-24

Individualized drug dosage in patients treated with continuous hemofiltration. *Frieder Keller, Joachim Böhler, David Czock, Dietmar Zellner, and Andreas K.H. Mertz* S-29

SUBSTITUTION FLUIDS FOR CRRT

Lactate- or bicarbonate-buffered solutions in continuous extracorporeal renal replacement therapies. *Horst P. Kierdorf, Carsten Leue, and Susanne Arns* S-32

Acid-base balance and substitution fluid during continuous hemofiltration. *Peter Heering, Katrin Ivens, Oliver Thümer, Matthias Braüse, and Bernd Grabensee* S-37

ANTICOAGULATION AND HEMOSTASIS

Hirudin elimination by hemofiltration: A comparative *in vitro* study of different membranes. *Rolf D. Frank, Heiko Farber, Ioannis Stefanidis, Regina Lanzmich, and Horst P. Kierdorf* S-41

Recombinant hirudin (lepirudin) as anticoagulant in intensive care patients treated with continuous hemodialysis. *Karl-Georg Fischer, Andreas van de Loo, and Joachim Böhler* S-46

Influence of hematocrit on hemostasis in continuous venovenous hemofiltration during acute renal failure. *Ioannis Stefanidis, Bernhard Heintz, Dario Frank, Peter Rene Mertens, and Horst P. Kierdorf* S-51

CRRT IN THE CRITICALLY ILL

Metabolic aspects of continuous renal replacement therapies. *Wilfred Druml* S-56

Is there a role for continuous renal replacement therapies in patients with liver and renal failure? *Andrew Davenport* S-62

Hepatoactive substances eliminated by continuous venovenous hemofiltration in acute renal failure patients. *Werner Riegel, Antje Habicht, Christof Ulrich, and Hans Köhler* S-67

Continuous venovenous hemodialysis treatment in critically ill patients after liver transplantation. *Peter Lütkes, Jens Lutz, Jan Loock, Anton Daul, Christoph Broelsch, Thomas Philipp, and Uwe Heemann* S-71

Contents continued on next page

Influence of renal replacement therapy on outcome of patients with acute renal failure. *Sven Kresse, Hendrik Schlee, Heinz Jürgen Deuber, Wolfgang Koall, and Bernd Osten* S-75

CYTOKINE REMOVAL

Is cytokine removal by continuous hemofiltration feasible? *Heinz-Günter Sieberth and Horst P. Kierdorf* S-79

Tumor necrosis factor-α during continuous high-flux hemodialysis in sepsis with acute renal failure. *Gerhard Lonnemann, Mikko Bechstein, Silvia Linnenweber, Michael Burg, and Karl Martin Koch* . S-84

NON-RENAL INDICATIONS FOR CRRT

Non-renal indications for continuous renal replacement therapy. *Miet Schetz* S-88

Congestive heart failure as an indication for continuous renal replacement therapy. *Matthias Braüse, Christine E. Deppe, Markus Hollenbeck, Katrin Ivens, Frank C. Schoebel, Bernd Grabensee, and Peter Heering* S-95

Hemofiltration treatment for sepsis: Is it time for controlled trials? *Peter Rogiers* S-99

KIDNEY INTERNATIONAL

Volume 56, Number 6, December 1999

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Effect of membrane composition and structure on solute removal and biocompatibility in hemodialysis. *William R. Clark, Richard J. Hamburger, and Michael J. Lysaght* 2005

PERSPECTIVES IN BASIC SCIENCE

Renal basement membrane components. *Jeffrey H. Miner* 2016

GENETIC DISORDERS – DEVELOPMENT

Expression and localization of fibroblast growth factors and fibroblast growth factor receptors in the developing rat kidney. *Belinda Cancilla, Miriam D. Ford-Perriss, and John F. Bertram* 2025

HORMONES – CYTOKINES – SIGNALING

22-Oxacalcitriol ameliorates high-turnover bone and marked osteitis fibrosa in rats with slowly progressive nephritis. *Michinori Hirata, Kyoko Katsumata, Toshimi Masaki, Nobuo Koike, Koichi Endo, Kunihiko Tsunemi, Hiroyuki Ohkawa, Kiyoshi Kurokawa, and Masafumi Fukagawa* 2040

Compensatory renal growth in uninephrectomized adult mice is growth hormone dependent. *Allan Flyvbjerg, William F. Bennett, Ruth Rasch, Johan W. van Neck, Cora A.H. Groffen, John J. Kopchick, and John A. Scarlett* 2048

Vascular endothelial growth factor activates MAP kinase and enhances collagen synthesis in human mesangial cells. *Tetsuro Amemiya, Hiroyuki Sasamura, Mizuo Mifune, Yudai Kitamura, Junichi Hirahashi, Matsuhiko Hayashi, and Takao Saruta* 2055

Lysophosphatidic acid-induced proliferation in opossum kidney proximal tubular cells: Role of PI 3-kinase and ERK. *Richard J. Dixon and Nigel J. Brunskill* 2064

Serum-free insulin-like growth factor I correlates with clearance in patients with chronic renal failure. *Jan Frystyk, Per Ivarsen, Christian Skjærbæk, Allan Flyvbjerg, Erling Bjerregaard Pedersen, and Hans Ørskov* 2076

Roles of E2F1 in mesangial cell proliferation *in vitro*. *Seiji Inoshita, Yoshio Terada, Osamu Nakashima, Michio Kuwahara, Sei Sasaki, and Fumiaki Marumo* 2085

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Crry, a complement regulatory protein, modulates renal interstitial disease induced by proteinuria. *Yuichi Hori, Koei Yamada, Norio Hanafusa, Toshihiro Okuda, Noriko Okada, Toshio Miyata, William G. Couser, Kiyoshi Kurokawa, Toshiro Fujita, and Masaomi Nangaku* (See Editorial, p. 2315) 2096

The chemokine receptor antagonist AOP-RANTES reduces monocyte infiltration in experimental glomerulonephritis. *Ulf Panzer, André Schneider, Jill Wilken, Darren A. Thompson, Stephen B.H. Kent, and Rolf A.K. Stahl* 2107

Interferon-γ inhibits experimental renal fibrosis. *Simon D. Oldroyd, Graham L. Thomas, Giulio Gabbiani, and A. Meguid El Nahas* 2116

Cover: Immunohistologic staining of renal tissue with a collagen type IV antibody demonstrated strong positivity in the glomerular mesangium and capillary walls of Wistar rats. (From Panzer et al, Fig. 4B, page 2109.)

Contents continued on next page

Role of organic anion transporter 1 (OAT 1) in cephaloridine (CER)-induced nephrotoxicity. *Michio Takeda, Akihiro Tojo, Takashi Sekine, Makoto Hosoyamada, Yoshikatsu Kanai, and Hitoshi Endou* 2128

Increased expression of TGF-β1 but not of its receptors contributes to human obstructive nephropathy. *Hiroyuki Kaneto, Haruo Ohtani, Atsushi Fukuzaki, Shigeto Ishidoya, Atsushi Takeda, Yukihiko Ogata, Hiroshi Nagura, and Seiichi Orikasa* 2137

Expression of apoptosis regulatory genes in chronic cyclosporine nephrotoxicity favors apoptosis. *Fuad S. Shihab, Takeshi F. Andoh, Amie M. Tanner, Hong Yi, and William M. Bennett* 2147

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

NH_4^+ secretion in inner medullary collecting duct in potassium deprivation: Role of colonic H^+-K^+-ATPase. *Suguru Nakamura, Hassane Amlal, John H. Galla, and Manoocher Soleimani* 2160

RAPID COMMUNICATION: Phenylalanine hydroxylation across the kidney in humans. *Paolo Tessari, Giacomo Deferrari, Cristina Robaudo, Monica Vettore, Nadia Pastorino, Luisa De Biasi, and Giacomo Garibotto* 2168

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Angiotensin II type 1 receptor gene polymorphism predicts response to losartan and angiotensin II. *Judith A. Miller, Kerri Thai, and James W. Scholey* (See Editorial, p. 2317) 2173

Hypertension and renal injury in experimental polycystic kidney disease. *Thomas M. Kennefick, Muna A. Al-Nimri, Terry T. Oyama, Michele M. Thompson, Francis J. Kelly, Justin G. Chapman, and Sharon Anderson* 2181

Increased nitric oxide synthase mRNA expression in the renal medulla of water-deprived rats. *Shyi-Jang Shin, Feng-Jie Lai, Jin-Der Wen, Shiu-Ru Lin, Ming-Chia Hsieh, Pi-Jung Hsiao, and Juei-Hsiung Tsai* 2191

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Collapsing glomerulopathy in HIV and non-HIV patients: A clinicopathological and follow-up study. *Arvydas Laurinavicius, Shelley Hurwitz, and Helmut G. Rennke* 2203

Cardiovascular disease and mortality in a community-based cohort with mild renal insufficiency. *Bruce F. Culleton, Martin G. Larson, Peter W.F. Wilson, Jane C. Evans, Patrick S. Parfrey, and Daniel Levy* 2214

A randomized trial of cyclosporine in patients with steroid-resistant focal segmental glomerulosclerosis. *Daniel C. Cattran, Gerald B. Appel, Lee A. Hebert, Lawrence G. Hunsicker, Marc A. Pohl, Wendy E. Hoy, Doug R. Maxwell, and Cheryl L. Kunis, for the North America Nephrotic Syndrome Study Group* 2220

Level of renal function at the initiation of dialysis in the U.S. end-stage renal disease population. *Gregorio T. Obrador, Pradeep Arora, Annamaria T. Kausz, Robin Ruthazer, Brian J.G. Pereira, and Andrew S. Levey* 2227

Predicting renal survival in primary focal glomerulosclerosis from the time of presentation. *Vipul C. Chitalia, J. Elisabeth Wells, Richard A. Robson, Martin Searle, and Kelvin L. Lynn* 2236

Prescription of hormone replacement therapy in postmenopausal women with renal failure. *Catherine O. Stehman-Breen, Daniel Gillen, and Debbie Gipson* 2243

DIALYSIS – TRANSPLANTATION

Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. *Graham A. Stewart, John Foster, Michael Cowan, Esther Rooney, Theresa McDonagh, Henry J. Dargie, R. Stuart C. Rodger, and Alan G. Jardine* 2248

Impact of lower delivered Kt/V on the survival of overweight patients on hemodialysis. *Abdulla K. Salahudeen, Erwin H. Fleischmann, and John D. Bower* 2254

Rise in serum albumin and creatinine in the first half year on hemodialysis. *Philip Goldwasser, Amir I. Kaldas, and Robert H. Barth* 2260

Twenty-five years of experience with out-center hemodialysis. *Walid Arkouche, Jules Traeger, Ehsan Delawari, Roula Sibaï-Galland, Elias Abdullah, Roland Galland, Philippe Leitienne, Denis Fouque, and Maurice Laville* 2269

Plasma and Lp(a)-associated PAF-acetylhydrolase activity in uremic patients undergoing different dialysis procedures. *Haralampos J. Milionis, Moses S. Elisaf, Sonia-Athena P. Karabina, Eleni Bairaktari, Alexandros D. Tselepis, and Kostas C. Siamopoulos* 2276

Hemodialysis prevents liver disease caused by hepatitis C virus: Role of hepatocyte growth factor. *Teresa Rampino, Eloisa Arbustini, Marilena Gregorini, Paola Guallini, Carmelo Libetta, Milena Maggio, Andrea Ranghino, Enrico Silini, Grazia Soccio, and Antonio Dal Canton* 2286

Effective correction of hyperhomocysteinemia in hemodialysis patients by intravenous folinic acid and pyridoxine therapy. *Malik Touam, Johanna Zingraff, Paul Jungers, Bernadette Chadefaux-Vekemans, Tilman Drüeke, and Ziad A. Massy* 2292

TECHNICAL NOTE

Measuring total body water in peritoneal dialysis patients using an ethanol dilution technique. *Naomi V. Dahl, Edward F. Foote, Toros Kapoian, Caroline A. Steward, and Richard A. Sherman* 2297

The paracellular permeability of opossum kidney cells, a proximal tubule cell line. *Mingyu Liang, Carla R. Ramsey, and Franklyn G. Knox* 2304

LETTERS TO THE EDITOR

Are fractional clearances overestimated? *Borje Haraldsson* 2309

Focal contact-related proteins in podocytes after complement-mediated injury. *Peter N. Furness* ... 2310

Calcium antagonists and renal disease. *A. Fournier, N. El Esper, A. Pruna, and J.M. Achard* 2311

Major confounders for reactance as a marker of malnutrition in hemodialysis patients. *Antonio Piccoli, Luana Pillon, and Maria-Grazia Tabbi* 2311

Cyclophosphamide and mercaptoethane sulfonate therapy for minimal lesion glomerular nephritis. *Robert Kleta* 2312

EDITORIALS

We need to inhibit complement in glomerular proteinuria. *Richard J. Quigg* 2314

Why are some people more receptive to angiotensin II? *Roland C. Blantz* 2316

NEPHROLOGY FORUM

Disorders of the epithelial sodium channel: Insights into the regulation of extracellular volume and blood pressure. *John B. Stokes* 2318

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 2334

Awards and grants 2336

Erratum 2337

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2338

ACKNOWLEDGMENT OF REVIEWERS 2339

KEYWORD INDEX 2345

AUTHOR INDEX 2355

Instructions for Authors on page ix

KIDNEY INTERNATIONAL

Volume 56, Supplement 73, December 1999

Renal Bone Disease

Manchester, United Kingdom

July 6–7, 1999

Table of contents

Introduction. *Ram Gokal, Alastair J. Hutchison, Eberhard Ritz, and Eduardo Slatopolsky* S-1

Regulation of the parathyroid hormone gene by vitamin D, calcium and phosphate. *Justin Silver, Cevdat Yalcindag, Alin Sela-Brown, Rachel Kilav, and Tally Naveh-Many* S-2

Cellular mechanisms of renal osteodystrophy. *Judith A. Hoyland and Michael L. Picton* S-8

Pathogenesis of secondary hyperparathyroidism. *Eduardo Slatopolsky, Alex Brown, and Adriana Dusso* S-14

The role of bone biopsy in clinical practice and research. *Hartmut H. Malluche, M. Chris Langub, and Marie-Claude Monier-Faugere* S-20

Histological diagnosis of renal osteodystrophy. *Tony Freemont* S-26

Hyperphosphatemia in end-stage renal disease patients: Pathophysiological consequences. *Francisco Llach* S-31

Renal bone disease: Radiological investigation. *Judith E. Adams* S-38

Phosphate binders on iron basis: A new perspective? *Olaf Hergesell and Eberhard Ritz* S-42

New analogs of vitamin D_3. *Eduardo Slatopolsky, Adriana Dusso, and Alex Brown* S-46

Calcium-sensing receptor and calcimimetic agents. *Jack W. Coburn, Loganathan Elangovan, William G. Goodman, and Joaõ M. Frazaõ* S-52

What is the optimal regimen for vitamin D? *John Cunningham* S-59

Medical and surgical aspects of parathyroidectomy. *Masafumi Fukagawa, Yoshihiro Tominaga, Masafumi Kitaoka, Takatoshi Kakuta, and Kiyoshi Kurokawa* S-65

Low bone turnover in patients with renal failure. *Marie Madeleine Couttenye, Patrick C. D'Haese, Wim J. Verschoren, Geert J. Behets, Iris Schrooten, and Marc E. De Broe* S-70

Vitamin D analogs: From renal bone disease to osteoporosis. *John A. Kanis* S-77

Predialysis management of divalent ion metabolism. *Alastair J. Hutchison* S-82

Acidosis and nutrition. *Johnathan D. Louden, Russell R. Roberts, and Timothy H.J. Goodship* S-85

Extraskeletal problems and amyloid. *Tilman B. Drüeke* S-89

Osteodystrophy in the millennium. *Eberhard Ritz, Michael Schömig, and Jürgen Bommer* S-94